

Glasswashers
Dishwashers
Warewashers
Rack Conveyor Dishwashers
Flight Conveyor Dishwashers
Tunnel Basket Washers
Granular Warewasher

2014



FULL
10-31



ELITECH
32-49



SOFT
50-61



ECOCLEAN
62-73



KORAL
74-93



CUBE
94-103



EVOLUTION
104-123

So shine, so



EWC SYSTEM





Available on all models
included in the price.











EWC SYSTEM ELECTRONIC CONTROL



Electromechanical Electronic

	LED-backlight digital display with tank TNK / boiler BLR temperature view	Constant view of tank and boiler temperature	OPTIONAL <i>Mechanical thermometers</i>	STANDARD BUILT-IN <i>Digital thermometers</i>
	4 programmables wash cycles	Right wash cycle for each type of dish	NO	STANDARD
	Different adjustment of the dispensers according to each wash cycle	Right dosage for each type of dish: saving detergents and respect for the environment	NO	STANDARD
	Different TNK / BLR temperature setting according to each wash cycle	Better result of drying and sanitizing of dishes	NO	STANDARD

	Standard built-in adjustable TNK/BLR thermostat	Better results with less consumption of energy and time	OPTIONAL	STANDARD
	End-of-cycle indication with LED-backlight flashing digital display	Optical warning signal for time saving	NO	STANDARD
	Total and partial wash cycles counter	To supervise the use of the dishwasher	NO	STANDARD
	Automatic drain of the tank water at the end of the wash cycle (with built-in drain pump)	Automatic complete emptying of the tank	NO	STANDARD
	Programming of the automatic resin regeneration every 1-5 Cycles (with built-in water softener)	Right program for each water hardness degree: saving water, salt and energy	NO	STANDARD
	Self-test and eventual anomalies display	Anomalies resolution in less time	NO	STANDARD
	Planned maintenance indication	To avoid downtime and extra maintenance costs	NO	STANDARD
	LED-backlight digital energy-saving display	Low-consumption LED for additional savings	NO	STANDARD

EWC SYSTEM ADVANTAGES



Reduction
in drying time




Water
saving



Energy
saving



Less
detergent



EWC SYSTEM ELECTRONIC CONTROL





OPTIONAL INTEGRAL TANK
FILTER AND DOUBLE WALL
(under counter dishwashers basket 50x50)



INCLINED STAINLESS-STEEL
DEEP-DRAWN WELDED TANK





Natural Print

Krups has a “sustainable” character.



100% Made in Italy

RELIABILITY
HIGH PERFORMANCES
GUARANTEED ASSISTANCE
RoHS MATERIALS

For more than 45 years Krups has been designing and manufacturing innovative products with total respect for Nature.

In this way originated EcologyCare, the new logo which guarantees a professional washing and hygiene as well as a low environmental impact by saving more water and energy.



Clean Water Glasswashers
Basket 40x40
Single or Double washing
Water refill at each cycle

PARTIAL (50%)
~2.5 lt water refill at each
wash cycle

TOTAL (100%)
water refill at each
wash cycle



Water saving



Energy saving



Less detergent and rinse-aid



More brightness



Guaranteed hygiene


FLK: Standard version



FLE: With built-in **Break-Tank**



FLS: With built-in water **Softener**



Separate stainless-steel rinsing and washing arms



Stainless-steel tank filter



FULL Line GLASSWASHERS

basket 40x40

- 4 customised programs
- Tank and boiler temperature indications
- Messages in 6 languages
- Tank self-cleaning program
- Programmed maintenance alarm
- Error visual indicator
- Cycle end optical and acoustic warning
- Water refill (total or partial) at each wash cycle
- 4,5 lt. of water in tank with integral tank filter
- Stainless-steel printed jet washing arms
- Separate stainless-steel rinsing and washing arms
- Double wash pump filter
- Double drain pump filter
- All glasswashers can be modified from 400V3N+T to 230V+T


On request

- Double wall for thermal acoustic insulation (coming soon)
- Guaranteed hygiene with rinse pump and Break-Tank
- Built-in water softener with automatic and continuous regeneration (available on request in the version without break-tank only)

Optionals

- Reverse osmosis system (with built-in break-tank)
- Inclined basket for wine glasses
- Detergent for osmosis/soft water
- Detergent for hard water

FULL FLK208E



Technical data

Total power	4,76kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x70 cm











SO1000K
Reverse osmosis system



CDO6X2L CBO5X2L
Detergent for soft water



208052
Inclined basket for wine glasses




Technical data

Total power 4,76kW

Wash pump 0,35HP/0,26kW

Dimensions (L-P-H) 47x55,5x70 cm


K FULL FLS208E



Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x70 cm

K FULL FLK209E



Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x75 cm











SO1000K
Reverse osmosis system



CDO6X2L CBO5X2L
Detergent for soft water




208052
Inclined basket for wine glasses



Technical data

Total power	4,76kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x75 cm



Technical data	
Total power	4,76kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x75 cm

Clean Water Dishwashers
Basket 50x50
Double washing



PARTIAL (50%)
~2.5 lt water refill at each
wash cycle



More
brightness



Guaranteed
hygiene



Water
saving



Energy
saving



Less detergent
and rinse-aid

FLK: Standard version



FLE: With built-in **Break-Tank**



FLS: With built-in **Softener**



FLES: With built-in **Break-Tank** and **Softener**



Separate stainless-steel rinsing and washing arms



Stainless-steel printed tank



FULL Line DISHWASHERS

basket 50x50

- 4 customised programs
- Tank and boiler temperature indications
- Messages in 6 languages
- Tank self-cleaning program
- Programmed maintenance alarm
- Error visual indicator
- Cycle end optical and acoustic warning
- Partial water refill at each wash cycle
- Stainless steel integral tank filter
- Stainless-steel printed jet washing arms
- Separate stainless-steel rinsing and washing arms
- Double wash pump filter
- Double drain pump filter
- All glasswashers can be modified from 400V3N+T to 230V+T
- Double wall for thermal acoustic insulation (coming soon)


On request

- Guaranteed hygiene with rinse pump and Break-Tank
- Built-in water softener with automatic and continuous regeneration (available on request in the version without break-tank only)

Optionals

- Reverse osmosis system (with built-in break-tank)
- Inclined basket for wine glasses
- Detergent for osmosis/soft water
- Detergent for hard water

FULL FLK560E



Technical data

Total power	5,02kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	60x70x84 cm







SO1000K
Reverse osmosis system



CDO6X2L CBO5X2L
Detergent for soft water



208052
Inclined basket for wine glasses




Technical data

Total power 5,02kW

Wash pump 0,7HP/0,52kW


Dimensions (L-P-H) 60x70x84 cm

K FULL FLS560E



Technical data	
Total power	5,02kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	60x70x84 cm

K FULL FLES560E



Technical data	
Total power	5,02kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	60x70x84 cm



Guaranteed sanitizing rinse



Constant temperature



Constant pressure



Constant rate of flow



Reduction in drying time of 50%



Guaranteed hygiene



Water saving



Energy saving



Less detergent and rinse-aid




Money saving




Respect for the environment






Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x65 cm




Technical data


Total power	3,3kW
Wash pump	0,4HP/0,30kW
Dimensions (L-P-H)	47x55,5x70 cm



Technical data	
Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	53x61x75,5 cm




Technical data	
Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm




Technical data

Total power	STANDARD 5,02kW	OPTIONAL 6,52kW
Wash pump	0,7HP/0,52kW	
Dimensions (L-P-H)	58,5x68x80,5 cm	



Technical data

Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	58,5x68x80,5 cm




Technical data

Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	59,5x72,5x85 cm




	n. 7 Ø 32 cm pizza n. 18 Ø 26 cm	n. 22 Ø 32 cm pizza n. 22 Ø 26 cm	n. 26 Ø 32 cm pizza n. 26 Ø 26 cm
	n. 4 GN 1/1	n. 4 GN 1/1 n. 4 60x40	n. 5 GN 1/1 n. 5 60x40
	No	n. 4 Pizza racks	n. 5 Pizza racks
	Bread basket 40 L.	Bread basket 50 L.	Bread basket 60 L.
	Pan H 39	Pan H 39	Pan H 39




Technical data

Total power (STANDARD)	7,12kW
Total power (OPTIONAL)	5,52kW-10,12kW
Wash pump	2,0HP/1,50kW
Dimensions (L-P-H)	62x77x190 cm




Technical data

Total power (STANDARD)	7,64kW
Total power (OPTIONAL)	6,14kW-10,64kW
Wash pump	2,2HP/1,64kW
Dimensions (L-P-H)	62x77x190 cm




Technical data

Total power	10,64kW
Wash pump	2,2HP/1,64kW
Dimensions (L-P-H)	72x77x190 cm




Technical data

Total power	11,00kW
Wash pump	2,7HP/2,0kW
Dimensions (L-P-H)	79x87x190 cm




Technical data

Total power	11,20kW
Wash pump	3,0HP/2,20kW
Dimensions (L-P-H)	73,5x78x121,5cm




Technical data

Total power	11,20kW
Wash pump	3,0HP/2,20kW
Dimensions (L-P-H)	73,5x78x136 cm



Technical data	
Total power	11,20kW
Wash pump	3,0HP/2,20kW
Dimensions (L-P-H)	73,5X78X172 cm




Technical data	
Total power	16,40kW
Wash pump	3,0+3,0HP/2,20+2,20kW
Dimensions (L-P-H)	134x83x173 cm



Automatic regeneration of the resins
(of only 25 sec.) at every wash cycle

Constant water
hardness during
rinse cycle

No more
limescale
deposits 



More
brightness



Guaranteed
hygiene




Energy
saving




Less
maintenance




Less detergent
and rinse-aid

 **Money saving**


 **Respect for the
environment**



Technical data	
Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x58,5x65,5 cm




Technical data	
Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x58,5x65 cm




Technical data

Total power	3,3kW
Wash pump	0,4HP/0,30kW
Dimensions (L-P-H)	47x58,5x70 cm




Technical data

Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	53x61x75,5 cm



Technical data


Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm



Technical data

Total power	STANDARD 5,02kW	OPTIONAL 6,52kW
Wash pump	0,7HP/0,52kW	
Dimensions (L-P-H)	58,5x68x80,5 cm	


K SOFT S580E



Technical data

Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	58,5x68x80,5 cm

K SOFT S1100E



Technical data

Total power (STANDARD)	7,12kW
Total power (OPTIONAL)	5,52kW-10,12kW
Wash pump	1,5HP/1,12kW
Dimensions (L-P-H)	62x77x190 cm



Partial refill of water at
every wash cycle

It eliminates only the
most dirty water
in the tank

Fewer total water
refills of
the wash tank



More
brightness



Guaranteed
hygiene



Water
saving



Energy
saving




Less
detergent and
rinse-aid



Money saving




Respect for the
environment




Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x50x65,5 cm




Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x65 cm




Technical data

Total power	3,3kW
Wash pump	0,4HP/0,30kW
Dimensions (L-P-H)	47x55,5x70 cm




Technical data

Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	53x60x75,5 cm




Technical data

Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm




Technical data

Total power	STANDARD 5,02kW	OPTIONAL 6,52kW
Wash pump	0,7HP/0,52kW	
Dimensions (L-P-H)	58,5x68x80,5 cm	



Technical data

Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	58,5x68x80,5 cm




Technical data

Total power (STANDARD)	7,12kW
Total power (OPTIONAL)	5,52kW-10,12kW
Wash pump	1,5HP/1,12kW
Dimensions (L-P-H)	62x77x190 cm



 **KORAL** Line





K207ER



Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x50x59,5 cm




K205ER



Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x50x65,5 cm




K208ER



Ø40 cm

Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x65 cm




K209ER




Ø40 cm

Technical data


Total power	3,3kW
Wash pump	0,4HP/0,30kW
Dimensions (L-P-H)	47x55,5x70 cm




Technical data	
Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	53x61x75,5 cm




Technical data	
Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm



Technical data	
Total power (STANDARD)	5,02kW
Total power (OPTIONAL)	6,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm



Technical data	
Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	58,5x68x80,5 cm



Technical data

Total power	6,89kW
Wash pump	1,2HP/0,89kW
Dimensions (L-P-H)	59,5x72,5x85 cm

● KORAL K1100E K1200E

● KORAL K1500E

● KORAL K1600E



50x50 cm

NEW generation



50x60 cm

NEW generation



60x67 cm



n. 7 Ø 32 cm pizza
n. 18 Ø 26 cm



n. 22 Ø 32 cm pizza
n. 22 Ø 26 cm



n. 26 Ø 32 cm pizza
n. 26 Ø 26 cm



n. 4 GN 1/1



n. 4 GN 1/1
n. 4 60x40



n. 5 GN 1/1
n. 5 60x40



No



n. 4 Pizza racks



n. 5 Pizza racks



Bread basket 40 L.



Bread basket 50 L.



Bread basket 60 L.




Pan H 39



Pan H 39




Pan H 39



Technical data


Total power (STANDARD)	7,12kW
Total power (OPTIONAL)	5,52kW-10,12kW
Wash pump	1,5HP/1,12kW
Dimensions (L-P-H)	62x77x190 cm



Technical data

Total power (STANDARD)	7,64kW
Total power (OPTIONAL)	6,14kW-10,64kW
Wash pump	2,2HP/1,64kW
Dimensions (L-P-H)	62x77x190 cm


KORAL K1500E



Technical data


Total power	10,64kW
Wash pump	2,2HP/1,64kW
Dimensions (L-P-H)	72x77x190 cm

KORAL K1600E




Technical data


Total power	11,00kW
Wash pump	2,7HP/2,0kW
Dimensions (L-P-H)	79x87x190 cm



Technical data	
Total power	11,20kW
Wash pump	3,0HP/2,20kW
Dimensions (L-P-H)	73,5x79x121,5cm




Technical data	
Total power	11,20kW
Wash pump	3,0HP/2,0kW
Dimensions (L-P-H)	73,5x79x136 cm



Technical data

Total power	11,20kW
Wash pump	3,0HP/2,20kW
Dimensions (L-P-H)	73,5X80X172 cm





Technical data

Total power	16,40kW
Wash pump	3,0+3,0HP/2,20+2,20kW
Dimensions (L-P-H)	134x85x173 cm



 **CUBE Line**



C320R



Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x50x59,5 cm

C327R




Technical data

Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	42x50x65,5 cm

K CUBE C426



C426R




Technical data	
Total power	3,26kW
Wash pump	0,35HP/0,26kW
Dimensions (L-P-H)	47x55,5x65 cm


CUBE C432




C432R




Technical data	
Total power	3,3kW
Wash pump	0,4HP/0,30kW
Dimensions (L-P-H)	47x55,5x70 cm



Technical data	
Total power	3,52kW
Wash pump	0,7HP/0,52kW
Dimensions (L-P-H)	53x61x75,5 cm




Technical data	C537	C537T
Input voltage	230V 50/60Hz	400V3N+T 50/60Hz
Total power (STANDARD)	3,52kW	5,02kW
Total power (OPTIONAL)	-	6,52kW
Boiler heating element	3,0kW 7,3 lt.	4,5kW 7,3 lt.
Wash pump	0,7HP/0,52kW	0,7HP/0,52kW
Dimensions (L-P-H)	58,5x68x80,5 cm	58,5x68x80,5 cm



Technical data

Total power (STANDARD)	7,12kW
Total power (OPTIONAL)	5,52kW-10,12kW
Wash pump	1,5HP/1,12kW
Dimensions (L-P-H)	62x77x190 cm



Technical data

Total power (STANDARD)	7,64kW
Total power (OPTIONAL)	6,14kW-10,64kW
Wash pump	2,2HP/1,64kW
Dimensions (L-P-H)	62x77x190 cm




EVOLUTION Line

Rack Conveyor Dishwashers
Flight Conveyor Dishwashers
Tunnel Basket Washers
Granular Warewasher



EVOLUTION

EVO101 EVO111 EVO121 EVO131




Technical data	EVO101	EVO111	EVO121	EVO131
Total power	21,3kW	21,5kW	27,7kW	27,9kW
Wash pump	1,5Hp/1,1kW	1,5Hp/1,1kW	1,5Hp/1,1kW	1,5Hp/1,1kW
Dimensions (L-P-H)	115x77x157 cm	115x77x157 cm	175x77x177 cm	175x77x177 cm
	+55°C	+15°C	+55°C	+15°C

EVOLUTION



EVO201 EVO211 EVO221 EVO231




Technical data	EVO201	EVO211	EVO221	EVO231
Total power	20,5kW	20,7kW	26,9kW	27,1kW
Wash pump	2,0Hp/1,4kW	2,0Hp/1,4kW	2,0Hp/1,4kW	2,0Hp/1,4kW
Dimensions (L-P-H)	155x77x157 cm	155x77x177 cm	215x77x177 cm	215x77x177 cm
	+55°C	+15°C	+55°C	+15°C



EVOLUTION

EVO301 EVO311 EVO321 EVO331




Technical data	EVO301	EVO311	EVO321	EVO331
Total power	29,9kW	30,2kW	36,45kW	36,57kW
Wash pump	2,3Hp/1,75kW	2,3Hp/1,75kW	2,3Hp/1,75kW	2,3Hp/1,75kW
Dimensions (L-P-H)	188x75x177 cm	188x75x196,5 cm	213x75x196,5 cm	213x75x196,5 cm
	+55°C	+15°C	+55°C	+15°C



EVOLUTION

EVO401 EVO411 EVO421 EVO431



Technical data	EVO401	EVO411	EVO421	EVO431
Total power	27,2kW	27,38kW	39,45kW	39,63kW
Wash pump	2,3Hp/1,75kW	2,3Hp/1,75kW	2,3Hp/1,75kW	2,3Hp/1,75kW
Dimensions (L-P-H)	240x75x177 cm	240x75x196,5cm	275x75x196,5 cm	275x75x196,5 cm
	+55°C	+15°C	+55°C	+15°C



EVOLUTION

EVO501 EVO511 EVO521 EVO531



- 50 cm
- 180-240 pz/h
- 45 cm
- 400V3N+T 50/60Hz
- 100 lt.
- 12.0 kW 110 lt.
- 6,0+6,0 kW

Technical data	EVO501	EVO511	EVO521	EVO531
Total power	28,7kW	28,88kW	40,95kW	41,13kW
Wash pump	2,9Hp/2,18kW	2,9Hp/2,18kW	2,9Hp/2,18kW	2,9Hp/2,18kW
Dimensions (L-P-H)	290x75x177 cm	290x75x196,5 cm	325x75x196,5 cm	325x75x196,5 cm
	+55°C	+15°C	+55°C	+15°C



EVOLUTION


EVO601 EVO611 EVO621 EVO631




- 50 cm
- 230-306 pz/h
- 45 cm
- 400V3N+T 50/60Hz
- 65 lt.
- 9,0 kW 110 lt.
- 12,0 kW 110 lt.
- 7,5+7,5 kW


Technical data	EVO601	EVO611	EVO621	EVO631
Total power	41,8kW	41,98kW	54,05kW	54,23kW
Wash pump	2,9Hp/2,18kW	2,9Hp/2,18kW	2,9Hp/2,18kW	2,9Hp/2,18kW
Dimensions (L-P-H)	350x75x177 cm	350x75x196,5 cm	385x75x196,5 cm	385x75x196,5 cm
	+55°C	+15°C	+55°C	+15°C


K EVOLUTION FC25E




Technical data	
Total power	28,6kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	450x95x177 cm
	+55°C


K EVOLUTION FC38E




Technical data	
Total power	31,25kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	510x95x177 cm
	+55°C


K EVOLUTION FC42E





Technical data	
Total power	35,28kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	540x95x177 cm
	+55°C


K EVOLUTION FC54E




Technical data	
Total power	54,93kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	600x95x177 cm
	+55°C





Technical data	
Total power	30,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	255x75x164,5 cm
	+55°C




Technical data	
Total power	30,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	266x75x194,5 cm
	+55°C


EVOLUTION BK28E





Technical data	
Total power	33,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	280x75x194,5 cm
	+55°C


EVOLUTION BK40E




Technical data	
Total power	41,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	410x75x177 cm
	+55°C





Technical data	
Total power	32,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	490x95x177 cm
	+55°C




Technical data	
Total power	37,0kW
Wash pump	2,9Hp/2,18kW
Dimensions (L-P-H)	580x95x177 cm
	+55°C


K EVOLUTION PK85E



Technical data	
Total power	37,5kW
Wash pump	4,3Hp/3,25kW
Dimensions (L-P-H)	620x95x177 cm
	+55°C

K EVOLUTION GR900



Technical data	
Total power	12,0kW
Wash pump	4,0Hp/3,0kW
Dimensions (L-P-H)	109,5x91x190 cm
	+55°C



A PASSION FOR INVENTING

www.krupps.it



In order to improve the quality and the performances of its own products, KRUPPS expressly reserves the right to modify specifications, clichés and performances without notice. Therefore this document cannot be used as a contract towards a third party.



KRUPPS Srl via Austria 19 35127 Padova ITALY
T. +39 049 7625156 F. +39 049 8704701
krupps@krupps.it **krupps.it**



FIND US ON

