

MAJOR
UPDATE!



PRODUCT CATALOG

2020 - 4TH EDITION

4 DIFFERENT WAYS OF PLACING LABELING!



TEXT WINDOW „PLUS”



TEXT WINDOW „MINI”



TEXT WINDOW „MINI CUT-OUT”



TEXT WINDOW „LITE”

BRAND NEW „QUICKCHANGE” FILEHOLDER TYPES!



MAGNETIC



ADHESIVE



DESIGN



CUT-OUT



ERASABLE

NEW LABEL PRINTERS!



EASY TO USE



„TEAM”



CUBE



„HEAVY DUTY”


Let's Get Started With **Gemba** **Standards!**

Our **Gemba Engineering Toolbox** makes you master of your production processes, instead of just being a machine operator.

Floor Markers

GE Toolbox helps you to impress your customers by using Top-Quality Floor Markers!

„When establishing important business connections, the customer will certainly want to see the factory. His or her first impression is certain to influence everything. If they see that machines, production lines and storage space are in excellent order, they will be convinced that high-quality products are being produced in this factory!”





FLOOR MARKERS


Flexible Floor Markers

The 0.3 mm thick floor markers are great for uneven surfaces. The material is very flexible and can withstand normal work area traffic, including trolleys and pallets being pushed into position across the floor.

The marker lifetime is significantly longer than typical tapes, and the markers are much easier to apply in comparison with other materials. No cutting required!

Recommended Applications:

- Uneven surfaces
- Areas with normal work area traffic



Massive Floor Markers

The 0.8 mm thick floor markers are perfect for heavy traffic areas and are very long-lasting. The extraordinary thickness of the material is able to withstand frequent heavy impact, e.g. traffic with forklifts. Even after extended heavy use, these markers still look great because of their unique textured surface.

Recommended Applications:

- Forklift traffic with heavy loads (logistics areas)
- Areas where professional-level visualization is expected by managers and customers




“ExtraLife” protective film for flexible floor markers

This protective film extends the lifetime of the flexible floor markers. The thin but durable film increases protection against sliding pallets and parts, yet remains virtually invisible.

The „ExtraLife” protective film can be ordered ready to use, perfectly applied to the flexible floor markers, meaning that you can save costs and precious time.

Recommended applications:

- Sliding pallets and parts
- High contamination areas






L-Shaped Floor Markers

The L-shaped floor markers are used to mark the corners of locations, e.g. for containers, pallets, shelves, work tables, machines, etc.

PART NUMBERS:




Size	Flexible	Massive
x=50 mm	FF-050L-XX	FM-050L-XX
x=75 mm	FF-075L-XX	FM-075L-XX
x=100 mm	FF-100L-XX	FM-100L-XX



“ExtraLife” film for L-shaped floor markers

The use of the „ExtraLife” film significantly increases the life-time and protects the L-shaped flexible floor markings against damage and contamination.

PART NUMBERS:




Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-050L-00	FE-050L-XX
x=75 mm	FE-075L-00	FE-075L-XX
x=100 mm	FE-100L-00	FE-100L-XX



T-Shaped Floor Markers

The T-shaped floor markers are used to provide standardized locations for containers, pallets, shelves, work tables, machines, etc., if several locations need to be identified in a row next to or behind each other.

PART NUMBERS:




Size	Flexible	Massive
x=50 mm	FF-050T-XX	FM-050T-XX
x=75 mm	FF-075T-XX	FM-075T-XX
x=100 mm	FF-100T-XX	FM-100T-XX



“ExtraLife” film for T-shaped floor markers

The use of the „ExtraLife” film significantly increases the life-time and protects the T-shaped flexible floor markings against damage and contamination.

PART NUMBERS:




Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-050T-00	FE-050T-XX
x=75 mm	FE-075T-00	FE-075T-XX
x=100 mm	FE-100T-00	FE-100T-XX




I-Shaped Floor Markers

The I-shaped floor markers are used to visualize zones or walkways and paths.

PART NUMBERS:




Size	Flexible	Massive
x=50 mm	FF-050I-XX	FM-050I-XX
x=75 mm	FF-075I-XX	FM-075I-XX
x=100 mm	FF-100I-XX	FM-100I-XX



“ExtraLife” film for I-shaped floor markers

The use of the „ExtraLife” film significantly increases the life-time and protects the I-shaped flexible floor markings against damage and contamination.

PART NUMBERS:




Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-050I-00	FE-050I-XX
x=75 mm	FE-075I-00	FE-075I-XX
x=100 mm	FE-100I-00	FE-100I-XX

FLOOR MARKERS



Long L-Shaped Floor Markers

These L-shaped floor markers are also used to mark corners, but they are longer allowing for better visibility from a distance. As an alternative to the L-form, the long version can be used to mark bigger areas with higher visibility




PART NUMBERS:

Size	Flexible	Massive
x=50 mm	FF-L50L-XX	FM-L50L-XX
x=75 mm	FF-L75L-XX	FM-L75L-XX
x=100 mm	FF-L10L-XX	FM-L10L-XX

“ExtraLife” for Long L-shaped floor markers

The use of the „ExtraLife” film significantly increases the lifetime and protects the Long L-shaped flexible floor markings against damage and contamination.




PART NUMBERS:

Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-L50L-00	FE-L50L-XX
x=75 mm	FE-L75L-00	FE-L75L-XX
x=100 mm	FE-L10L-00	FE-L10L-XX



Long T-Shaped Floor Markers

The usage of the Long T-shaped floor markers are similar to the standard T-shape, but they are longer allowing for better visibility from a distance.




PART NUMBERS:

Size	Flexible	Massive
x=50 mm	FF-L50T-XX	FM-L50T-XX
x=75 mm	FF-L75T-XX	FM-L75T-XX
x=100 mm	FF-L10T-XX	FM-L10T-XX

“ExtraLife” for Long T-shaped floor markers

The use of the „ExtraLife” film significantly increases the lifetime and protects the Long T-shaped flexible floor markings against damage and contamination.



PART NUMBERS:

Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-L50T-00	FE-L50T-XX
x=75 mm	FE-L75T-00	FE-L75T-XX
x=100 mm	FE-L10T-00	FE-L10T-XX

Bicolor flexible floor markers

To distinguish special areas, the shape-cut floor markers are available in several colour combinations. A custom color combination can be ordered upon request!



“ExtraLife” for bicolor floor markers

Do not forget to protect the surface of the two-coloured flexible floor markers. The „ExtraLife” protective film prevents wear, so the strips painted on the marking remain unchanged for a long time!

FLOOR MARKERS




Dot-Shaped Floor Markers

The Dot-shaped floor markers are used to visualize zones or walkways and paths.


“ExtraLife” for Dot shaped floor markers

The use of the „ExtraLife” film significantly increases the lifetime and protects the Dot shaped flexible floor markings against damage and contamination.



PART NUMBERS:

Size	Flexible	Massive
x=50 mm	FF-050D-XX	FM-050D-XX
x=75 mm	FF-075D-XX	FM-075D-XX
x=100 mm	FF-100D-XX	FM-100D-XX



PART NUMBERS:

Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-050D-00	FE-050D-XX
x=75 mm	FE-075D-00	FE-075D-XX
x=100 mm	FE-100D-00	FE-100D-XX




Square-Shaped Floor Markers

The Square-Shaped floor markers are used to visualize zones or walkways and paths.


“ExtraLife” for Square shaped floor markers

The use of the „ExtraLife” film significantly increases the lifetime and protects the Square shaped flexible floor markings against damage and contamination.



PART NUMBERS:

Size	Flexible	Massive
x=50 mm	FF-050Q-XX	FM-050Q-XX
x=75 mm	FF-075Q-XX	FM-075Q-XX
x=100 mm	FF-100Q-XX	FM-100Q-XX




PART NUMBERS:

Size	„ExtraLife” film	„ExtraLife” with Floor marker
x=50 mm	FE-050Q-00	FE-050Q-XX
x=75 mm	FE-075Q-00	FE-075Q-XX
x=100 mm	FE-100Q-00	FE-100Q-XX





FLOOR MARKERS



GE Toolbox Floor Marking Tape

Getting started with 5S is both efficient and effective when the proper location for items is clearly shown, so that “everything has its place and everything is in its place.” Designating these locations is made easier with GE Toolbox floor marking tape. Made from the same material as the Flexible Floor Marker products, this tape is durable with strong adhesive and is suitable for all types of floors and surfaces. Making a straight line has never been simpler, as the tape is naturally twist resistant. The tapes are available in a variety of colors to match specific visual management requirements.

PART NUMBERS:

Part number	Size
FT-050D-XX	50 mm x 50 Meters
FT-075D-XX	75 mm x 50 Meters
FT-100D-XX	100 mm x 50 Meters



Recommended Applications:

- pedestrian paths
- traffic routes
- identification of zones and locations

GE Toolbox Bicolor Floor Marking Tape

The GE Toolbox tapes are also available in striped colors. Made of the same high quality 0.3 mm materials as the GE Toolbox floor marking tape, this tape is made for identifying special areas like walkways or segregated pathways. Multiple color combinations are available.

Size: 50 mm x 50 Meters
75 mm x 50 Meters
100 mm x 50 Meters

Recommended Applications:

- locked or restricted areas
- hazardous areas
- identification of protected zones

PART NUMBER:

Part number	color
FT-XXXD-13	White - Red
FT-XXXD-28	Yellow - Black
FT-050D-ESD	Yellow - ESD
FT-XXXD-14	White - Blue
FT-XXXD-15	White - Green
FT-XXXD-18	White - Black



Usage:

For best adhesion, the floor should be clean and free of grease and oil.



Gemba Engineer handbook












5S color code chart

One of the very first steps in applying standardized marking and labels as part of a 5S implementation is to develop a color code standard. Many companies already have an existing guideline for uses of colors, but if you do not yet have a standard defined at your company, we can help you to create the right one.

Sample 5S color code chart

COLOUR CODE	APPLICATION	OBJECTS
 WHITE	INVENTORY	Raw materials, finished goods, unfinished goods (WIP), packaging materials
 YELLOW	PATHWAYS / WORK AREAS	Walkways, alleyways, forklift or other transportation paths, zones and work cells
 RED	QUARANTINE AREAS	Scrap, rework, non-conforming parts or equipment
 BLUE	MACHINES / EQUIPMENT	Manufacturing machines, desks, tools, trolleys, gauges and test equipment, shelves, or other objects
 ORANGE	WASTE	Waste and waste bins or containers
 YELLOW-BLACK	HAZARDOUS AREAS	Stairs, level differences, objects blocking pathways, areas with physical or health risks


High level 5S color code chart

COLOUR CODE	APPLICATION	OBJECTS
 WHITE	INVENTORY	Raw material, Unfinished goods (WIP)
 YELLOW	PATHSWAYS / WORK AREA	Walkways, Aileways, Forklift or other transportation ways, Zones and workcells
 RED	QUARANTINE AREA	Scrap; rework; non conform parts or equipments
 BLUE	MACHINES / EQUIPMENT	Manufacturing machines, desks, tools, trolleys, gauges and test equipments, shelves, other objects
 GREEN	FINISHED GOODS	Finished parts or containers of finished products in the area, ready to move or use for the next process.
 ORANGE	WASTE	Waste and waste bins, containers
 GRAY	PACKAGING MATERIALS	Cartons, KLT's, returnable packaging, or other packaging materials
 BLACK	MAINTENANCE / CLEANING	Materials and tools used for cleaning and maintenance, spare parts
 YELLOW-BLACK	HAZARDOUS AREA	Stairs, level difference, objects blocking the pathways, area with physical or health risk.
 WHITE-RED	INSPECTION AREA	Goods waiting for incoming, in process or final inspection
 WHITE-GREEN	INSPECTED GOODS	Goods waiting for storage, warehousing or shipment

Now define your own standard for easy reference, you can use the empty chart below.

Let's get started with **Gemba Standards!**

5S color code chart


COLOUR CODE	APPLICATION	OBJECTS
 WHITE		
 YELLOW		
 RED		
 BLUE		
 GREEN		
 ORANGE		
 GRAY		
 BLACK		
 YELLOW- BLACK		
 WHITE- RED		
 WHITE- GREEN		
 WHITE- BLACK		
 WHITE- BLUE		
 ESD YELLOW- ESD		

Location Labelling

As soon as the areas and locations are defined, it's time to start labelling. What item and quantity belongs in each location needs to be obvious to everyone.

GE Toolbox provides you with a wide selection of solutions for labelling. Choose the one which fits best for your company!

„Everything has a place and everything is in its place!”





LOCATION LABELLING

Text Window „Plus”


Text Window „Plus” can be used to label storage positions, material data or locations. Made from the same robust and uniquely textured material used for the Massive Markers, it can withstand the most punishing cross traffic – all while looking great for the next customer shop floor tour.

Application is as simple as adding a printed label to the adhesive underside of the Text Window „Plus” and pressing it into position on any surface.



PART NUMBERS:

Size	X	Y	Part number	Available
A4	297 mm	210 mm	LP-00A4-XX	
A5	210 mm	148 mm	LP-00A5-XX	
½ A4	297 mm	105 mm	LP-12A4-XX	
1/3 A4	210 mm	99 mm	LP-13A4-XX	



Not available in EU!



Recommended Applications:



■ Floor Storage locations

■ Desk, Trolley, Machine ID

■ Wall signs, One point Lessons

■ Warning signs

■ Visual management boards

Process Standard: Text Window „Plus”

1.		WHAT? (Description)	Print the labels on your computer and cut them to the right size.
		HOW? (Key points)	Use the label form provided by GE Toolbox. Make sure to use your company standard font type and size.
		WHY? (Reasons)	Labels and floor markers with different text size and style gives a bad impression.
2.		WHAT? (Description)	Remove the adhesive cover on the top of the Text Window “Plus” and press the label to it.
		HOW? (Key points)	Make sure that the label in the window overlaps the adhesive on the top by about 2 mm.
		WHY? (Reasons)	The printed label will be fixed in the Text Window “Plus” and will not move when applying to the desired location
3.		WHAT? (Description)	Remove the remaining adhesive cover strips and apply the Text Window „Plus” to the desired location.
		HOW? (Key points)	Make sure that the Text Window “Plus” is parallel to the existing location markers.
		WHY? (Reasons)	Misaligned floor markers and labels can give a bad impression.



LOCATION LABELLING




Text Window „Mini”

Want to add some small text with style? Don't worry, Text Window Mini is a great solution for small labels on floors, shelves, machines or desks. You can print the text on the GE Toolbox or 24 mm Brother Labels and apply it directly on the top of the Text Window Mini. A Free positioning frame is included!

PART NUMBERS:

Size	Part number
x=50 mm	LM-050I-XX
x=75mm	LM-075-XX
x=75mm	LM-100-XX




Text Window „Mini Cut-Out”

As an alternative to the Text Window Mini, you can also label with small text using a precision Cut-Out window. No need to worry about centering or positioning anymore and the label corners are safely protected in the window to prevent peeling at the edges. The Text Window Mini Cut-Out gives a professional look to wherever it is applied. A Free positioning frame is included!

PART NUMBERS:

Size	Part number
x=50 mm	LC-050I-XX
x=75mm	LC-075I-XX
x=75mm	LC-100I-XX



If you plan to use the Mini Text Windows on the floor, don't forget to protect them with Extralife films!

Recommended Applications:



■ Floor Storage locations



■ Shelves, cabinets



■ Desk, Trolley, Machine ID



■ Warning signs



■ Visual management boards

LOCATION LABELLING

Process Standard: Text Window „Mini” and „Mini Cut-Out”

1.			WHAT? (Description)	Print labels on computer using GE Toolbox labels or with the Brother label printer
			HOW? (Key points)	Make sure all the labels and font sizes are the same. (Recommended 24 mm width labels)
			WHY? (Reasons)	To ensure that all labels in the area have a consistent appearance.
2.			WHAT? (Description)	Mark the precise position of the labels to be applied later.
			HOW? (Key points)	Use an erasable pen or pencil and the positioning frame provided by GE Toolbox.
			WHY? (Reasons)	For perfect centering and a standardized look.
3.			WHAT? (Description)	Stick the labels into the right position
			HOW? (Key points)	Use the marks to align the labels.
			WHY? (Reasons)	For perfect centering and a standardized look.
4.			WHAT? (Description)	Stick the Text Window „Mini” or „Mini Cut-Out” into the right position.
			HOW? (Key points)	Stick the Text Window „Mini” or „Mini Cut-Out” into the right position.
			WHY? (Reasons)	For perfect centering and a standardized look.
5.			WHAT? (Description)	Protecting Mini Text Windows on the floor using the Extralife film
			HOW? (Key points)	Use the frame provided by GE Toolbox for centering. Remove any marks dust or dirt before placing the Extralife film.
			WHY? (Reasons)	Protection against damage and contamination.





LOCATION LABELLING



Brother Shop floor „CUBE” Printer

This label printer features Bluetooth® wireless technology that allows you to wirelessly print labels up to 24mm wide from your smartphone, tablet or laptop. The „CUBE” Printer works with FREE apps on your computer or mobile devices so you can print labels the most convenient way for you.

PART NUMBERS

LB-P710-SF	Shopfloor „CUBE” Printer
------------	--------------------------

Brother Shop floor „Heavy Duty” Printer



Print labels anywhere without a computer. The „Heavy Duty” Printer is a robust, full-function device, easy to print wider labels up to 24 mm in width to label locations and mark cables/wires, faceplates, panels and more.

You can also design labels on your computer or mobile device, upload them to the „HeavyDuty” printer using Wi-Fi, and then you are ready to print on the go!

PART NUMBERS

LB-E550-SF	Shopfloor „HANDHELD” Printer
------------	------------------------------

Brother Labels

Choose Brother labeling tapes in 5 different widths and 9 different colors. Due to their high durability, these tapes can be used indoors or outdoors. Thanks to the laminated surface of the tapes, they can also withstand frequent use and cleaning.

PART NUMBERS

Part number	Size
LB-06LB-XX	6 mm
LB-09LB-XX	9 mm
LB-12LB-XX	12 mm
LB-18LB-XX	18 mm
LB-24LB-XX	24 mm



Transp./Black	White/Black	Yellow/Black	Red/Black	Blue/Black	Green/Black	Orange/Black	Silver/Black	Black/White
-00	-01	-02	-03	-04	-05	-06	-07	-08

6 mm	●	●	●					●
9 mm	●	●	●	●	●			●
12 mm	●	●	●	●	●	●	●	●
18 mm	●	●	●	●	●	●	●	●
24 mm	●	●	●	●	●	●	●	●



LOCATION LABELLING




GE Toolbox Labels for Text Window „Mini” and „Mini Cut-Out”

You can use your existing printer to print labels. Place the GE Toolbox perforated sheets into your printer, download our label form and start designing your own style labels. The GE Toolbox labels are made for long-lasting, industrial use, and yet they can be removed easily without adhesive residue.


PART NUMBERS:

Part Number	Page	Label Size	Qty/Page
LL-16A4-01	A4	148x26mm	16 pcs
LL-07A4-01	A4	210x41mm	7 pcs
LL-04A4-01	A4	250x50mm	4 pcs



Extralife for Text Window „Mini” and „Mini Cut-Out”

If you are using Mini Text Windows on the floor, make sure you always cover them with „Extralife” protective films! The use of the „Extralife” film significantly increases the lifetime and protects against damage and contamination.



PART NUMBERS

Size	Part Number:
LE-050I-00	x=50mm
LE-075I-00	x=75mm
LE-100I-00	x=100mm





LOCATION LABELLING



Text Window „Lite” with GE Toolbox tapes



Text Window „Lite” with GE Toolbox Floormarkers

Text Window „Lite”

The simplest way to label locations is by using the GE Toolbox Text Window „Lite”. Just print a GE Toolbox label with the same width as your floor markers, attach the label to the right position, and then protect it with an „ExtraLife” film. Labelling couldn't be quicker and easier!

A Free positioning frame is included for perfect positioning!

Process Standard: Text Window „Lite”

1.		WHAT? (Description)	Print labels on the computer using GE Toolbox labels
		HOW? (Key points)	Make sure the width of the labels are the same as your floor markers. (Recommended 50-75-100 mm width GE Toolbox labels)
		WHY? (Reasons)	To ensure that all labels and floor markers in the area have a consistent appearance.
2.		WHAT? (Description)	Mark the precise position for the labels to be applied later.
		HOW? (Key points)	Use an erasable pen and the positioning frame provided by GE Toolbox.
		WHY? (Reasons)	For perfect centering and a standardized look
3.		WHAT? (Description)	Adhere the Labels into the correct position
		HOW? (Key points)	Use the marks to align the labels.
		WHY? (Reasons)	For perfect centering and a standardized look.
4.		WHAT? (Description)	Mark the precise position for the „ExtraLife” film to be applied
		HOW? (Key points)	Use an erasable pen and the positioning frame provided by GE Toolbox.
		WHY? (Reasons)	For perfect centering and a standardized look.
5.		WHAT? (Description)	Apply the „ExtraLife” protectie film to cover the GE Toolbox label
		HOW? (Key points)	Use the marks made earlier for perfect centering. Remove marks and any dust or contamination before placing the Extralife film.
		WHY? (Reasons)	Protection against damage and contamination.



LOCATION LABELLING






GE Toolbox Labels for Text Window „Lite”

The perforated GE Toolbox Labels are available with the same width as your floor markers. Place the GE Toolbox perforated sheets into your printer, download our label form and start designing your own style labels. The GE Toolbox labels are made for long-lasting, industrial use, and yet they can be removed easily without adhesive residue.


PART NUMBERS:

Part Number	Page	Label Size	Qty/Page
LL-04A4-01	A4	250x50mm	4 pcs
LL-04A3-01	A3	374x74mm	4 pcs
LL-03A3-01	A3	420x99mm	3 pcs



Extralife for Text Window „Lite”

If you are using Mini Text Windows on the floor, make sure you always cover them with „Extralife” protective films! The use of the „Extralife” film significantly increases the lifetime and protects against damage and contamination.



PART NUMBERS

Size	Part Number:
LE-050I-00	X=50mm
LE-075I-00	X=70mm
LE-100I-00	X=100mm

LOCATION LABELLING

Location Labelling Starter kits

Not sure where to start for the right set to fit your needs?

Choose one of our starter kits and you won't miss a thing for a job well done!



Brother „Heavy Duty” – Starter kit

- 1 pcs Brother Shopfloor „HeavyDuty” Printer + Carrying Case
- 7 pcs Brother Labels 24 mm (any color)
- 1 pcs Brother Labels White 18 mm
- 204 pcs Mini Text Window „Mini” or „Mini Cut-Out” 50mm (any color)
- 204 pcs Extralife protective films
- 4 pcs Positioning frames

PART NUMBERS

LK-E550-XX Brother „Heavy Duty” – Starter kit



Text Window „Mini” Label – Starter kit

- 15 Sheets/240 Labels GE Toolbox Labels for Text Window „Mini” and „Mini Cut-Out”
- 204 pcs Mini Text Window „Mini” or „Mini Cut-Out” 50mm (any colour)
- 204 pcs „ExtraLife” protective films
- 4 pcs Positioning frames

PART NUMBERS

LK-MINI-XX Text Window „Mini” Label – Starter kit



Text Window „Lite” – Starter kit

- 60 Sheets/240 Labels GE Toolbox Labels for Text Window „Mini” and „Mini Cut-Out”
- 200 pcs Extralife protective films with positioning frames
- 4 pcs Positioning frame

PART NUMBERS

LK-LITE-XX Text Window „Lite” – Starter kit

Visual Management & Office

Implementing a sustainable 5S system throughout a company requires effective 5S role modelling in the office. In addition, having accurate and timely information available on the Visual Management Boards is one of the prerequisites of all kaizen activities!

Do it on your own way with customized GE Toolbox products!





VISUAL MANAGEMENT & OFFICE



L-Form Table Markers

Office efficiency is boosted by optimal layouts and standardization. The L-Form Table Markers are perfect to visualize locations for small objects on desks, on shelves or in cupboards both in the office and in the factory. 5S organization and efficiency in the office has never been easier!

PART NUMBERS

Part number	Size
OM-005L-XX	5 mm
OM-075L-XX	7,5 mm
OM-010L-XX	10 mm

Recommended Applications:

- Marking small items
- on desks or on work tables
- on shelves or in cabinets



Labelling in the Office

After storage locations are marked in the office, they also need to be labelled. According to 5S standards, what object and quantity belongs at each location must be clearly defined. In addition, each storage location should be labelled with a unique ID number for referencing. Brother labelling tapes are the perfect solution to make labelling in the office easy and effective.



Brother Office „Easy-to-Use” Label Maker

The Easy-to-Use printer provides a complete solution at a very attractive price point. It is the premier office tool to easily organize and personalize items just the way you want them around your office. You can identify storage locations, file folders, cables and wires with labels up to 12mm in width.

PART NUMBERS

OB-D210-OF	Office „Easy-to-Use” Label maker
------------	----------------------------------



VISUAL MANAGEMENT & OFFICE



Brother Office „TEAM“ Label Maker

This label maker is perfect for office teams that need to label on the go. Users can simply remove the printer from the sleek charger base and take it to their labeling location, wherever it might be - at an office desk or in the field. This label maker can also be used while connected to a work-group PC in a common area to create professional labels up to 18 mm in width.

This versatile machine can be also used by asset managers that need to label companies assets wherever they are in the office, as well as by office managers who need to create labels for a file folder, presentation or visitor name badges.

PART NUMBERS

OB-18RZ-OF	Office „TEAM“ Label Maker
------------	---------------------------



Brother Labels

Choose Brother labeling tapes in 3 different widths and 9 different colors. Due to their high durability, these tapes can be used indoor or outdoor. And thanks to the laminated surface of the tapes, they can withstand frequent use and cleaning.

Transp./Black	White/Black	Yellow/Black	Red/Black	Blue/Black	Green/Black	Orange/Black	Silver/Black	Black/White
-00	-01	-02	-03	-04	-05	-06	-07	-08


6 mm	●	●		●				●
9 mm	●	●	●	●	●	●		●
12 mm	●	●	●	●	●	●	●	●
18 mm	●	●	●	●	●	●	●	●

PART NUMBERS

Part number	Size
LB-06LB-XX	6 mm
LB-09LB-XX	9 mm
LB-12LB-XX	12 mm
LB-18LB-XX	18 mm



VISUAL MANAGEMENT & OFFICE



„QuickChange” Document Holder

CUSTOMIZE YOUR „QuickChange” DOCUMENT HOLDER TO FIND THE BEST SOLUTION TO YOUR SPECIFIC NEEDS



1

Choose which cover type is needed based on the desired application!



Design cover
Stylish look



Cut out cover
Fillable content



Erasable cover
Writable-Erasable surface



„QuickChange”
Design Document Holder

QuickChange” Design Document Holders are made of a unique and durable plastic material, which is resistant to surface scratches and give a long-lasting esthetic and professional look to the visual management board. Available in a Magnetic or Adhesive version.

Recommended Applications:

- Information boards
- Visual KPI boards
- One Point Lesson documents



„QuickChange”
Cut-Out Document Holder

We removed the middle of the „QuickChange” Cut-Out Document Holder, making it easy to write on the document inside the holder without opening it. This type of Document Holder is highly recommended for 5S-cleaning, TPM-maintenance or other checklists. Available in a Magnetic or Adhesive version.

Recommended Applications:

- Checklists
- Shopfloor audit lists
- Other documents updated by hand



„QuickChange”
Erasable Document Holder

The „QuickChange” Erasable Document Holder can be written on directly with any whiteboard marker, and thanks to the smooth surface material, it can be erased easily without any residual marks. It is a perfect choice for documenting daily updates, leaving comments, or detailing erasable action plans on the boards. Available in a Magnetic or Adhesive version.

Recommended Applications:

- Action plans
- Daily updated graphs and KPI's
- Leaving comments and remarks

2

Choose how to fix the document holder!



Magnetic
Magnetic surfaces



Adhesive
Wooden, gypsum drywall, other surfaces



„QuickChange”
Magnetic
Document Holders

The „QuickChange” Magnetic Document Holder can be conveniently attached to any magnetic board. Large magnetic strips on the back make adherence firm, even with multiple documents, while magnetic strips on the front make it easy to open the holder to update or replace the documents inside. If the layout of the board changes, the holders can be quickly reorganized without damaging the board or the document holder itself.

The „QuickChange” Magnetic Document Holders are available in „Desig”, „Cut-Out” or „Erasable” versions.



„QuickChange”
Adhesive
Document Holders

With the “QuickChange” Adhesive Document Holders, strong adhesive strips are included on the back-side to easily fix the holder on wooden, aluminum, gypsum drywall or any other non-magnetic surface. Magnetic strips on the front make it easy to open the holder to update or replace the documents inside.

The „QuickChange” Magnetic Document Holders are available in „Design”, „Cut-Out” or „Erasable” version.

3

Choose the document holder size and layout!




Portrait

	X size	Y size
A3	299	419
A4	212	296
A5	150	209



Landscape

	X size	Y size
A3	422	296
A4	299	209
A5	212	147




A3 size



A4 size



A5 size



4

Choose the document holder header color!



White



Blue



Gray



Yellow



Green



Black



Red



Orange



Custom color and logo

TYPE	APPLICATION	SURFACE	SIZE	LAY OUT
VQ „Quickchange” Document holder	D Design cover	M Magnetic	5 A5 size	L Landscape
	C Cut out cover	A Adhesive	4 A4 size	P Portrait
	E Erasable cover		3 A3 size	

COLOR								
01 White	02 Yellow	03 Red	04 Blue	05 Green	06 Orange	07 Gray	08 Black	CS Custom